

HIGH-INTENSITY LED LIGHT SOURCE



MOBILE STAND IS
SOLD SEPARATELY

SEE BETTER
SEE FARTHER
SEE WHY

SINCE 1977
ENHANCING
YOUR VISION

Powered by
Long Island
Technology
Group 

HATTERAS™ SURGICAL

HIGH-INTENSITY LED SURGICAL LIGHT SOURCE

- Illumination Range with AtoN Fiber Optic Headlight:
~160,000 LUX at 16" (40 cm) to ~547,000 LUX at 10" (25 cm)
- Color Rendering Index: 70 CRI
- Color Temperature: 5,400 K
- Intensity Settings: 10 Levels
- 4 Port Turret accepts: BFW/ ACMI, Olympus, Storz, and Wolf Cables
- Unique Standby Feature: when Fiber Optic Cable is Removed from Port, Illumination Stops
- LED Expected Lifespan: > 10,000 hours

HATTERAS/AtoN SYSTEM

- Hatteras LED High-Intensity Surgical Light Source
- AtoN High-Intensity Headlight
- 10' Cobra Coil Cable
- Mobile Stand

HATTERAS HEADLIGHT SYSTEM PRODUCT CODES:

BFW 1600	Hatteras High-Intensity Light Source
BFW 1200	AtoN Fiber Optic Headlight
BFW 9893	Hatteras Mobile Stand



AtoN HEADLIGHT
AND MOBILE STAND
SOLD SEPARATELY

EXCELLENT FOR USE IN THE FOLLOWING DEPARTMENTS

HOSPITAL

CARDIOSURGERY
NEUROSURGERY
ORTHOPEDIC SURGERY
PEDIATRIC SURGERY
SPINE SURGERY
THORACIC SURGERY
TRANSPLANT SURGERY
VASCULAR SURGERY

SURGERY CENTER

ORTHOPEDIC
SURGERY



BFWinc.com

800-717-4673 | +1-502-899-1808

445 BAXTER AVENUE | SUITE 175
LOUISVILLE, KY 40204 USA

Powered by
Long Island
Technology
Group



ENGINEERED AND ASSEMBLED IN THE U.S.A. © 2020 BFW, Inc.
ALL TECHNICAL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE
HATTERAS TESTED AND CERTIFIED TO: IEC 60601-1-2 Edition 4, IEC 60601-2-18 Edition 3, ANSI/AAMI ES60601-1 (2005 + C1:09 + A2:10), CAN/CSA-C22.2 NO 60601-1- (2008), CE