



**iT20**  
Telemetry System

## About Edan

Edan is a healthcare company dedicated to improving the human condition around the world by delivering value-driven, innovative and high-quality medical products and services. For over 20 years, Edan has been pioneering a comprehensive line of medical solutions that address a broad range of healthcare practices including:

- Diagnostic ECG
- Patient Monitoring
- OB/GYN
- Ultrasound Imaging
- Point-of-Care Testing
- In-Vitro Diagnostics
- Veterinary

Healthcare professionals around the world depend on Edan's breakthrough medical technologies and outstanding customer support.



Edan Instruments, Inc. | 3/F-B, Nanshan Medical Equipments Park,  
1019# Nanhai Rd., Shenzhen | 518067 P.R. China  
+86.755.26898326 | [www.edan.com.cn](http://www.edan.com.cn) | [info@edan.com.cn](mailto:info@edan.com.cn)

© 2015 Edan Instruments, Inc. All rights reserved. Features and specifications are subject to change without prior notice. No reproduction, copy or transmission may be made without written permission.



ENG-PM-IT20-V1.0-20150807

# iT20


Telemetry System



# iT20

## Telemetry System

Designed as a pocket size telemetry transmitter, iT20 works together with MFM-CMS central monitoring system via Wi-Fi connections. It provides constant ECG & SpO<sub>2</sub> monitoring for mobile cardiac patients throughout all the hospital departments from cardiac divisions to intensive cares, from emergency units to general wards.



### Telemetry Monitoring System


- 64 units of iT20 can connect to MFM-CMS at the same time.
- With built-in Wi-Fi module, iT20 has no request for extra network setup.
- Bi-directional nurse call function available on both iT20 and MFM-CMS.
- Real-time monitoring of ECG, RR, SpO<sub>2</sub>, PR.
- IPX7 waterproof level, iT20 can prevent unexpected damages from water and withstand the cleaning and sterilization procedure.
- Automatic ECG cable identification of 3/5-lead wires as well as IEC/AHA types.
- History review with 240 hours of trend and 720 alarm events for each patient on MFM-CMS.

### Parameter Configurations

- iSEAP™ ECG algorithm optimized for arrhythmia detection, pacemaker detection, ST analysis, and HR measurement via 3/5-lead ECG
- iMAT™ SpO<sub>2</sub> algorithm with outstanding motion resistance and low perfusion resistance performance
- Respiration rate measurement via impedance method
- Pulse rate measurement via SpO<sub>2</sub>



### Smart Lead Map



### Multi-display Modes

